Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME XII

New names, and the final members of new combinations, are in **bold-face type**

Abies, 11, 41, 144, 288; balsamea, 33, 284; grandis, 11, 41; lasiocarpa, 33, 35
Acacia, 160
Acer saccharum, 284
Acolium, 220
Acremoniella, 127
Acremonium danysz, 70
Acrospermum, 175, 176, 178, 180; compressum, 175, 176, 177, 179, 181; compressum **foliicolum,** 178; compressum graminum, 178, 181; corrugatum, 180; foliicolum, 177, 178; fultum, 180; graminum, 177, 178; **Maxoni,** 179, 180, 181; Puiggarii, 179
Acrospermum, Observations on the genus, 175
Actaea, 293; alba, 292; rubra, 292, 293, 294
Actinomyces, 57
Actinonema, 314; Rosae, 267
Adams, J. F., Darluca on Peridermium Peckii, 309; The alternate stage of Pucciniastrum Hydrangeae, 33
Additions to the polypores of temperate North America, Corrections and, 6
Adelia, 188; ligustrina, 187, 188, 197
Adiantum, 96, 319; latifolium, 318; petiolatum, 319; pulverulentum, 319
Aecidium, 310; Allenii, 144
Aesculus pavia, 104
Agaricum porosum, 48
Agaricus, 324; campester, 37
Aglaophenia latecarinata, 103
Agoseris turbinata, 147; villosa, 147
Agrimonia gryposepala, 34
Agropyron repens, 293, 294; Richardsonii, 293, 294; scabrum, 310; Smithii, 294; spicatum inerme, 281; tenerum, 294
Alboffia oreophila, 207, 254
Aleuria, 132
Aleurodiscus, 288, 344; acerinus, 288; amorphus, 288; apiculatus, 288; botryosus, 288; candidus, 288; cremeus, 288; Farlowii, 288; nivosus, 288; Oakesii, 288; penicillatus, 288; seriatus, 288; strumosus, 288; tenuis, 288; Weirii, 288
Alisma plantago, 276
Allodus Palmeri 144
Alsine nitans 280
Alternaria, 126
Alternate stage of Pucciniastrum Hydrangeae, The, 33
Amanita chrysoblema, 166; **Wellsii,** 292
Amelanchier 202; alnifolia, 144, 201, 203
Amomum, 94
Amphonyx cluentus, 64, 66
Amsinkia intermedia, 276
Amsonia, 184; amsoniae, 184; ciliata, 183, 184
Andira jamaicensis, 317, 320
Andropogon bicornis, 319
Antennaria, 209
Anthophora zonata, 64, 66
Anthostoma, 55; taeniospora, 199
Anthurium dominicense, 319
Anthurus borealis, 37
Aplanobacter stizolobii, 298
Aposphaeria, 246; clavatum, 246
Arabis Lyallii, 146
Aristida portoricensis, 319
Armillaria mellea, 114, 335; nardosmia, 61; putrida, 324
Arnica chamissonis, 276; cordifolia, 276; latifolia, 145; mollis, 147
Arrhenatherum elatius, 280
Artemisia abrotani, 204; biennis, 200
Aschersonia, 93, 94, 95, 96, 97, 98; tahitensis, 94; turbinata, 93
Ascobolus, 122, 123, 125, 130, 132; carbonarius, 117, 122, 124, 126; furfuraceus, 121, 122; magnificus, 115, 121, 122, 123, 124, 126, 127, 128, 131, 134, 343; parasitica, 122, 123, 132; Winteri, 117, 122
Ascobolus magnificus, The life history of, 115
Ascochyta, 314; Bernmullerii, 174
Ascogenous fungus, Penicillium spiculisporum, A new, 268
Ascoidea, 126
Ascophanus carneus, 126, 133
Ascospora, 313

Asimina, 12
Aspergillus niger, 113, 114
Aster, 185, 186, 195; conspicuus, 144; Fremontii, 144; frondeus, 146; meritus, 144
Asterella, 55
Athyrium Filix-foemina, 147
Atriplex confertifolia, 200
Auerswaldia Cecropiae, 319; Miconiae, 319
Aurantiporus **croceus**, 11; Pilotae, 11
Avena, 279; fatua glabrata, 279; sativa, 278
Avicennia nitida, 318
Axonopus compressus, 319
Aylographum, 55
Azalea nudiflora, 33

Bacillus radicicola, 55; subtilis, 112
Bacterium juglandis, 105; solanacearum, 58
Badhamia foliicola, 340; magna, 340; utricularis, 340
Balansia, 112; cyperi, 112
Balsamorrhiza sagittata, 146
Barya salaccensis, 96
Berberis canadensis, 337, 345; repens, 148
Bessey, E. A., and Thompson, Bertha E., An undescribed Genea from Michigan, 282
Betula alleghaniensis, 339; lenta, 137; lutea, 137, 284, 339
Bignonia unguis, 97
Bispora, 205
Bjerkandera adusta, 323; fumosa, 8; puberula, 8
Blacksburg, Virginia, The fungi of, 322
Boletus cervinus, 7; cristatus, 10; cuticularis, 12; flabelliformis, 10; giganteus, 10; incertus, 78; lipsiensis, 14; luteus, 59; medullapanis, 48; mesentericus, 10; nigrellus, 60; resupinatus, 21; spongiosus, 21; sulphureus, 11; villosus, 7, 11
Bombardia, 176; fasciculata, 176
Botrytis, 126; cinerea, 104, 126, 133
Bourreria succulenta, 319
Bovistella ohiensis, 328
Bromelia pinguin, 318
Bromus, 278, 294; ciliatus, 293, 294; eximius, 278; hookerianus, 278; hordaceus, 278; hordaceus glabrescens, 277, 278; latiglumis, 294; marginatus, 278, 281; tectorum, 279
Bulgaria rufa, 322

Caesalpinia coriaria, 160
Calamagrostis canadensis, 146
Caliciopsis, 210, 211, 213, 215, 218, 219, 220, 224, 228, 246; **calicioides,** 214, 218, 220, 237; Ellisii, 220; ephemera, 223, 224; pinea, 207, 214, 219, 220, 223, 225, 227, 236, 237; stenocyboides, 225; **subcorticalis,** 214, 218, 220, 222, 223, 237; **thujina,** 265
Calicium, 219, 220; ephemerum, 223, 224, 225; stenocyboides, 225
Calocera, 340
Calonectria erubescens, 318
Calonyction, 186
Calopogonium orthocarpum, 317
Caloporus expallescens, 83
Calosphaeria princeps, 201, 250
Calyptospora columnaris, 144
Campanula, 186
Cantharellus, 105
Capnodiella, 227, 229; maxima, 229, 236
Capnodium, 209, 210, 213, 228, 229; arrhizum, 229; fructicolum, 207, 240, 241, 242; maximum, 207, 228, 229, 231, 265; salicinum, 27; Tanakae, 27
Carex, 276; alba, 82; atriculata, 281; atrostachyae, 204; geyeri, 276; papaya, 343
Catacauma Gouaniae, 163; Ocoteae, 163; palmicola, 163
Catacaumella Gouaniae, 319
Ceanothus velutinus, 203
Cecropia peltata, 319
Celtis, 178
Cenangella vernicosa, 204
Cenangium, 219; furfuraceum, 203
Cenchrus echinatus, 320
Cerastium arvense, 154; beeringianum, 145; oreophilum, 154; **strictum,** 145
Cerrena unicolor, 323
Ceriomyces, 324; affinis, 324; bicolor, 324; chromapes, 324; communis, 324, 339; edulis, 324; fumosipes, 324; griseus, 324; ornatipes, 324; retipes, 322, 324; subglabripes, 324
Certain entomogenous fungi, On, 62
Chaetomium, 126, 133
Chamaecyparis thyoides, 264
Chanterel, 322; Chantarellus, 324, 339; floccosus, 324; infundibuliformis, 325, 339; minor, 339
Chardon, Carlos E., A list of the pyrenomycetes of Porto Rico collected by H. H. Whetzel and E. W. Olive, 316
Chorostate teiphaemae, 202; **utahensis,** 202
Chrysomyces, 174

Chrysomyxa abietis, 309
Chrysopsis, 185, 186, 195
Chrysothamnus nauseosus, 205
Cicinnobolus, 125
Cintractia axicola, 153, 154, 156; axicola minor, 153; caricis, 276; **minor,** 153; seymoriana, 276
Circaea alpina, 146
Cirsium Hookerianum, 146
Citrus, 28, 172, 332; decumana, 319; grandis, 27; nobilis Unshiu, 28; trifoliata, 37
Claytonia linearis, 279
Clavaria, 106, 287, 323; bicolor, 135; Broomei, 106; cristata, 322; Crosslandii, 106; fastigiata, 106; flava, 322; fusiformis, 323; gigaspora, 106; inaequalis, 323; Invalii, 106; krombholzii, 135; muscoides, 323; ornatipes, 135; persimilis, 106; straminea, 106; trichopus, 135; vestitipes, 135
Claviceps, 40; Paspali, 40; Rolfsii, 40
Cleonus punctiventris, 70, 76
Clintonia uniflora, 146
Clitocybe, 113; adirondackensis, 325; illudens, 51, 325; praecox, 166
Clusia rosea, 321
Coccolobis uvifera, 317
Cocomyces dentatus, 337
Coix, 345
Colchicum autumnale 152
Coleosporium, 182, 185, 186, 187, 195, 196, 197; **apocynaceum,** 183, 184; carneum, 188, 189, 191, 192, 195, 197; delicatulum, 197, 310, 314; elephantopodis, 188, 189, 190, 191, 195, 197, 198; helianthiae, 197; inconspicuum, 197; ipomoeae, 197; laciniariae, 184, 185, 186, 197; **minutum,** 187, 188, 197; ribicola, 144, 197; solidaginis, 144, 197; terebinthinaceae, 197; vernoniae, 188, 192
Coleosporium, New species and relationships in the genus, 182
Colletotrichum, 56, 333; nigrum, 343
Collinsia bartsiaefolia, 150; grandiflora, 151; tenella, 151
Collybia, 43; campanella, 55; radicata, 51; velutipes, 43
Coltricia **Montagnei,** 13; obesa, 13; perennis, 12; tomentosa, 13
Coniocybe, 220; Beckhausii, 224, 225
Comandre pallida, 144
Coprinus atramentarius, 286; fimetarius, 325; micaceus, 325
Coptis trifolia, 283
Cordia borinquensis, 318; corymbosa, 317; macrophylla, 319
Cordyceps, 67, 68, 71, 93, 94, 344; militaris, 339
Coreopsis, 186, 195
Coriolellus **malicola,** 20, 43; sepium, 8, 19, 20, 85; serialis, 19, 20, 24
Coriolopsis fulvocinerea, 88; rigida, **108**
Coriolus, 17, 87, 88; abietinus, 339; balsameus, 7; biformis, 7; depauperatus, 87; hirsutulus, 7; Lloydii, 7; molliusculus, 7; pinsitus, 7, 11; prolificans, 7; pubescens, 7; versicolor, 7, 323; Washingtonensis, 24; zonatus, 24
Cornus, 178; stolonifera, 199, **202, 203**
Corrections and additions to the polypores of temperate North America, 6
Corticium salmonicolor, 172
Cortinarius, 113, 325; aggregatus, 166; elegantioides, 166; impolitus, 166; iodeoides, 166; mammosus, 166; purpureophyllus, 166; rubens, 166; semisanguineus, 325; sphaerosperma, 166; subpulchrifolius, 166; subrigens, 166; subtabularis, 166; velicopia, 166; virentophyllus, 166
Cortinellus rutilans, 325
Corynelia, 208, 209, 210, 211, 212, 215, 216, 217, 218, 229, 232, 239, 240, 241, 246, 250, 253, 264, 267; bispora, 214, 215, 237, 240, 242; **brasiliensis,** 207, 214, 216, 234, 240, 255, 256, 257, 258, 260; carpophila, 207, 241, 242; clavata, 243, 244, 246, 248, 249, 251, 254, 261, 262; clavata andina, 244; clavata fructicola, 251; clavata macrospora, 207, 242, 243; clavata portoricensis, 207, 259, 261; fructicola, 210, 211, 213, 214, 215, 228, 232, 235, 236, 239, 240, 243, 245; **jamaicensis,** 207, 214, 216, 217, 234, 235, 240, 255, 256, 260, 262; **nipponensis,** 207, 214, 215, 235, 240, 253; oreophila, 207, 214, 216, 217, 218, 235, 237, 240, 247, 251, 254, 255, 256, 257, 258, 259, 260, 261, 262; poculiformis, 264; **portoricensis,** 214, 216, 217, 234, 237, 240, 255, 256, 258, 259, 260, 261, 262, 318; pteridicola, 229, 231, 236, tripos, 207, 232; tropica, 210, 214, 215, 217, 218, 236, 240, 244, 245, 246, 251, 257; uberata, 207, 209, 214, 215, 217, 218, 235, 239, 240, 243, 245, 247, 248, 249, 250, 251, 254, 261
Coryneliaceae, Monograph of the, 206
Coryneliella, 209; consimilis, 207, 209, 237, 263, 264

Coryneum Rhododendri, 337
Costus speciosus, 31
Crataegus, 199; Douglasii, 144
Craterellus, 105; cornucopioides, 322; pistillaris, 136
Creonectria Bainii, 318; grammicospora, 319
Crepidotus, 113; stipitatus, 166
Cronartium Comandrae, 144; ribicola, 106, 174, 296, 298
Crotalaria retusa, 317
Crucibulum vulgare, 328, 339
Cryptogramma Stelleri, 144
Cryptomyces, 116; Pteridis, 132
Cryptoporus volvatus, 13
Cryptostictis, 337
Cucurbitaria, 200
Cunninghamella, 55, 130, 132
Cup-fungi, Photographs and descriptions of,—VIII. Elvela infula and Gyromitra esculenta, 1
Cyathea arborea, 38
Cyclamen, 58
Cylindrocolla Urticae, 205
Cyperus, 112; giganteum, 319; Grayii, 153
Cyphelium, 220; stenocyboides, 225, 226

Dacrymyces, 340; Ellisii, 340; fuscominus, 340; pallidus, 340
Dacryopsis ceracea, 340
Dactylaria, 32; Costi, 31; Leersiae, 30; Panici-paludosi, 29
Daedalea, 46, 110; Aesculi, 15; ambigua, 15; confragosa, 114, 323; extensa, 110; heteromorpha, 19; juniperina, 323; quercina, 43, 323; serpens, 46
Darluca, 310, 311, 312, 313, 315; arcuata, 310; Bivonae, 314; filum, 309, 310, 311, 312, 313, 314, 315; Sorghi, 313, 314; vagans, 313
Darluca on Peridermium Peckii, 309
Dasya, 126
Dematium pullulans, 126, 133
Dendrophoma, 55
Dendryphium nodulosum, 205
Deschampsia caespitosa, 281
Descriptions of cup-fungi, Photographs and,—VIII. Elvela infula and Gyromitra esculenta, 1
Desmidiospora myrmecophila, 65
Diabrotica, 66, 69, 76
Diachaea leucopoda, 340
Diaporthe, 55; **Brenckleana,** 202; crassicoli, 202
Diatrype, 200; **paurospora,** 201; phaeospora, 200
Dicaeoma poculiforme, 310
Dichaena, 224; strumosa, 224
Diderma effusum, 340; testaceum, 341
Didymella effusa, 200; eupyrene, 199
Didymellina iridis, 162, 297
Didymium squamulosum, 341
Didymopanax, 320; Morotoni, 320
Diffenbachia sequine, 317
Dimerina monenses, 163
Dimerium grammodes, 317; Stevensii, 317
Diplocarpon, 212
Diplococcium, 205
Diplodia, 313; abrotani, 204; cacaoicola, 337; punctata, 309, 313; uredinaecola, 313
Discomyces, 57
Distichlis spicata, 279
Ditiola Albizziae, 340
Doassansia alismatis, 276; martianoffiana, 276
Dodge, B. O., The life history of Ascobolus magnificus, 115
Dothichiza populea, 105
Dothichloe Aristidae, 319
Dothidella flava, 163, 319; portoricensis, 163
Dothiorella, 55
Drymis, 246; chilensis, 246
Dryopteris, 283

Eccilia, 113; pirinoides, 166
Echinodontium, 344; tinctorium, 345
Elephantopus, 185, 186, 188, 189, 191, 195; carolinianus, 190, 191; elatus, 191, 197; nudatus, 191; tomentosus, 191
Elettaria, 94, 95
Elfvingia, 14; Brownii, 16; fasciata, 14; lipsiensis, 14; lobata, 323; megaloma, 14, 323, 339
Elfvingiella, 14; fomentaria, 339; **marmorata,** 14
Elmeriana setulosa, 47, 108
Elvela, 1, 2, 3; brunnea, 4; esculenta, 1; infula, 1, 2, 3, 4, 174; Mitra, 1, 4; oregonensis, 5; rhodopus, 4
Elvella, 1 (see Elvela)
Elymus, 277, 294; canadensis, 293, 294, 295; condensatus, 279, 281; glaucus, 146; virginicus, 293, 294, 295
Endodothella Rickii, 174
Endohormidium tropicum, 244, 245, 265
Entoloma commune, 325; Grayanum, 325; pallidum, 325
Entomogenous fungi, On certain, 62
Entyloma arnicale, 276; Collinsiae, 150; compositarum, 276

Epicoccum, 126
Epilobium adenocaulon, 147; alpinum, 147; anagallidifolium, 147; angustifolium, 33, 147; platyphyllum, 147
Epithele, 287; sulphurea, 287, 296
Epochnium, 205; **isthmophorum,** 205
Erigeron elatus, 276; macranthus, 146; solsuginosus, 276
Erikssonia, 174
Eriocoma cuspidata, 279
Eriogonum Piperi, 147
Erythronium grandiflorum, 147
Euthamia, 185, 195; tenuifolium, 310
Eutypa leioplaca, 201; scabrosa, 201
Eutypa, 201; lata, 201
Eutypella Sarcobati, 201
Exidia, 340; Beardsleei, 340
Exoascus purpurascens, 336
Exobasidium Azaleae, 339

Favolus europaeus, 161, 288; Kauffmanii, 8; Whetstoneae, 8
Fenestella minor, 203
Ferdinandsen, C., and Winge, O., A Phyllachorella parasitic on Sargassum, 102
Festuca microstachys, 277, 279; octaflora, 277; reflexa, 279; tenella, 280
Ficus Carica, 26
Fistulina hepatica, 47
Fitzpatrick, H. M., Monograph of the Coryneliaceae, 206
Fomes, 136; amarus, 15; applanatus, 14, 168, 169; Arctostaphyli, 16; bakeri, 136, 142; borealis, 16; cylindrispora, 17; Demidoffii, 14; everhartii, 137; fuscopurpureus, 23; Hartigii, 13; igniarius, 136, 137, 162; Laricis, 47; lucidus, 160; Ohiensis, 21; pinicola, 345; putearius, 21, 41; robustus, 13, 136; roseus, 13; spongiosus, 21, 41; tenuis, 21; texanus, 299; tortulosus, 23, 41; ungulatus, 43
Fomitiporia **cylindrispora,** 17; dryophila, 7; tsugina, 43; Weirii, 24
Fuligo septica, 341
Fulvifomes, 13; Everhartii, 14; juniperinus, 14; Robiniae, 323
Funalia stuppea, 11, 41; versatilis, 11; villosa, 11
Fungi, Illustrations of,—XXXII, 59
Fungi, Notes and translation —, New Japanese, VIII, 25; IX, 329
Fungi of Blacksburg, Virginia, The, 322
Fungi, On certain entomogenous, 62
Fungus, Penicillium spiculisporum, a new ascogenous, 268
Fuscoporia ferruginosa, 339
Fusicladium, 330; theae, 330

Galactia striata, 319
Galera, 113; bulbifera, 166; cyanopes, 166
Galerula crispa, 325
Ganoderma, 88; pseudoboletus, 15; sessile, 15; subperforatum, 15; sulcatum, 40; Tsugae, 339
Gaylussacia, 33
Geaster hygrometricus, 328
Genea, 283; **cubispora,** 284
Genea from Michigan, An undescribed, 282
Geopetalum angustatum, 325; petaloides, 325
Gesneria albiflora, 320
Geum ciliata, 281
Gibberella saubinetii, 343
Gibellula, 68, 73, 74
Gilkey, Helen M., Two new truffles, 99
Glacier National Park, Montana, Rusts from, 143
Globifomes graveolens, 14
Gloeophyllum hirsutum, 15
Gloeosporium, 333; carthami, 333; citricolum, 28; foliicolum, 27; nervisequum, 126, 133; piperatum, 343
Glomerella, 131, 132; cingulata, 343
Gloniella, 55; rubra, 163
Glonium, 55
Glycosma occidentalis, 146
Glycyrrhiza lepidota, 147
Gnomonia veneta, 133
Gouania lupuloides, 319; polygama, 319
Griffithsia, 126; Bornetiana, 133
Grifola Berkeleyi, 11, 323; cristata, 10; flavovirens, 323; fractipes, 11; frondosa, 10; **mesenterica,** 10; Peckiana, 11; poripes, 10; Sumstinei, 10
Griggsia cyathea, 38
Grossularia cynosbati, 197; innominata, 197; reclinata, 197
Guarea trichiloides, 317
Guignardia Justiciae, 163; Nectandrae, 163; Pipericola, 320; Tetrazygiae, 163
Gymnopus dryophilus, 322, 325; exsculptus, 325; longipes, 325; platyphyllus, 325, 339; radicatus, 325; strictipes, 325
Gymnosporangium, 126, 133, 198, 340; Betheli, 144; germinale, 144; juvenescens, 144; Nelsoni, 144
Gyromitra, 1, 2, 3; esculenta, 1, 2, 3, 4, 174; esculenta crispa, 4; infula, 3, 4

Hahn, G. G., Hedgcock, G. G., Hunt, N. R., and, New species and relationships in the genus Coleosporium, 182
Halerpestes Cymbalaria, 146
Halstedia, 163; portoricensis, 163
Hapalopilus gilvus, 12, 41; licnoides, 23, 41; sublilacinus, 12
Hebeloma, 113, 325; hortense, 112; simile, 156
Hedgcock, G. G., Hunt, N. R., and Hahn, G. G., New species and relationships in the genus Coleosporium, 182
Hedysarum sulphurescens, 147
Helianthus, 186, 195; tomentosus, 197; tuberosus, 197
Helminthosporium interseminatum, 205; papaveri, 329
Helvella, 1; elastica, 345; esculenta, 4
Hendersonia, 313; uredinaecola, 313
Heterosporium, 172; gracile, 162
Hexagona alveolaris, 8, 322, 323; cucullata, 16; striatula, 8, 323
Hieracium albiflorum, 146; columbianum, 146
Hirsutella, 62, 63, 64, 65, 68, 70, 71, 73, 74; **citriformis,** 70, 75, 76; entomophila, 62, 64, 68, 75, 76; **floccosa,** 69, 75; **fusiformis,** 70, 75; saussurei, 69, 75, 76; surinamensis, 70
History of Ascobolus magnificus, The life, 115
Holcus lanatus, 278
Hordeum, 279, 280, 295; jubatum, 293, 294, 295
Hunt, N. R., and Hahn, G. G., Hedgcock, G. G., New species and relationships in the genus Coleosporium, 182
Hyalopsora Cheilanthes, 144
Hydnellum zonatum, 323
Hymenochaete, 288, 289; anomala, 289; borealis, 289; cubensis, 289; digitata, 289; fulva, 289; multisetae, 289; olivacea, 7; opaca, 289; pinnatifida, 289; reflexa, 289; ungulata, 289
Hydnocystis, 283
Hydnoporia fuscescens, 7
Hydnum erinaceum, 139
Hydrangea arborescens, 33, 34; arborescens grandiflora, 34; hortensis, 34; paniculata grandiflora, 34; petiolaris, 34
Hydrocybe ceracea, 325; conica, 325; flammea, 325; psittacina, 325
Hypholoma, 113; appendiculatum, 325, 326; lacrymabundum, 325; peckianum, 166; perplexum, 43
Hypnea, 126
Hypnum, 226
Hypocrea, 93, 94, 98; phyllogena, 94; **viridans, 98**
Hypocreales—IV, Aschersonia and Hypocrella, Notes on North American, 93
Hypocrella, 93, 94, 95, 96, 97, 98; cretacea, 95, 96, 97, 98; discoidea, 94, 95; **disjuncta,** 97; filicina, 93; guaranitica, 97, 319; phyllogena, 94, 95; salaccensis, 96; tamoneae, 97, 319; **turbinata,** 96, 319
Hypomyces lactifluorum, 16, 322
Hypoxylon effusum, 200; poculiforme, 264
Hypsotheca, 219, 264; calicioides, 219, 220, 221; calicioides caespitosa, 220, 221, 222; ephemera, 223; subcorticalis, 219, 223, 224; thujina, 219, 264
Hysterostomina Bakeri, 174
Hystrix patula, 292, 293, 294, 295

Icanthus pallens, 318, 319
Illustrations of fungi—XXXII, 59
Impatiens, 295; biflora, 294
Index to American mycological literature, 55, 112, 172, 296, 343
Inga laurina, 52, 97, 318, 319; vera, 318
Inocybe, 113, 325; geophylla, 325; **glaber,** 166; **lanotodisca,** 166
Inonotus, 15, 17; amplectens, 12; cuticularis, 12, 20; dryadeus, 41; dryophilus, 12, 41; fruticum, 12; **glomeratus,** 18; hirsutus, 12; Leei, 19; ludovicianus, 20; perplexus, 12; radiatus, 12, 18, 339
Inzengaea, 126, 133
Ipomoea, 186, 195; batatis, 317; tiliacea, 317
Iresine, 155; paniculata, 154
Irpex, 78
Isaria, 65, 68, 93, 94; gracilis, 64, 65, 66, 69; saussurei, 63, 64, 66, 69; sphaecophila, 63, 65, 66, 70; surinamensis, 64, 65, 66, 67, 70

Jackson, H. S., New or noteworthy North American Ustilaginales, 149
Japanese fungi. Notes and translations —, New, VIII, 25; IX, 329
Juglans, 82
Juncus bufonius, 156
Juniperus, 299; monosperma, 92, 299; sabinioides, 299

Kalmia latifolia, 300
Kawakamia, 26, 27; Carica, 25; Cyperi, 26

Kueneola obtusa, 310

Labrella, 55
Laccaria laccata, 325, 339; ochropurpurea, 325
Lachnocladium, 287; bicolor, 287; erectum, 287, 296; Micheneri, 287; Schweinitzii, 287, 322, 339
Lachnum **crystalligerum,** 203
Lacinaria, 185, 186; chapmani, 185; elegans, 186; elegantula, 186, 197; gracilis, 186, 197; graminifolia, 184, 185, 186; laxa, 186, 197; squarrulosa, 186, 197; tenuifolia, 186, 197
Lactaria, 326; cinerea, 326; Indigo, 325; lactiflua, 325; piperata, 325; scrobiculata, 325; subdulcis, 325; varia, 326
Laestadia, 55
Laetiporus speciosus, 11; **sulphureus,** 11, 16, 323
Laguncularia racemosa, 318
Larix, 288
Leersia hexandra, 30, 31
Lehman, S. G., Penicillium spiculisporum, a new ascogenous fungus, 268
Lembosia Coccolobae, 317; diffusa, 317
Lemna minor, 126, 133
Lentinus, 57; Freemanii, 57
Lentodium tigrinum, 167
Lenzites heteromorpha, 92; trabea, 167
Leocarpus fragilis, 341
Leotia stipitata, 322
Lepargyrea canadensis, 144
Lepiota, 113; fischeri, 166
Leptostromella, 55
Leviellea poculiformis, 264
Lichen colpodes, 249; helopherus, 247, 249, 251
Life history of Ascobolus magnificus, The, 115
Light-colored resupinate polypores — I, 77; II, 299
Ligustrum vulgare, 306
Limacinia theae, 332
Linospora Trichostigmae, 320
Liriodendron, 41, 82
List of the pyrenomycetes of Porto Rico collected by H. H. Whetzel and E. W. Olive, A, 316
Lithacne pauciflora, 319
Lophium dolabriforme, 180, 181
Lophodermium Rhododendri, 337
Lotus micranthus, 281
Lycoperdon, 328; cruciatum, 328, 339; gemmatum, 328; separans, 328
Lycopodium lucidulum, 283
Macrophoma Villaresiae, 174
Macrosporium, 173; tomato, 297
Manina cordiformis, 323
Marasmius, 326; glabellus, 326; oreades, 326; rotula, 326; Sacchari, 338
Marsonia carthami, 333
Mayepea domingensis, 320
Megalonectria pseudotrichia, 319
Meibomia barbata, 317
Melampsora, 297; albertensis, 144; arctica, 144; confluens, 145; occidentalis, 145
Melampsorella elatina, 145
Melampsoropsis Piperiana, 337; Pyrolae, 145
Melanconium **botryosum,** 204
Melanoleuca alboflavida, 326; melaleuca, 326
Melanomma medium, 200
Melanopsama pomiformis, 199
Melanospora, 127; cervicula, 127; marchica, 127; papillata, 127
Melia azedarach, 53
Meliola Andirae, 317; bicornis Calopogonis, 317; camelliae, 333; citri, 333; citricola, 332; Diffenbachiae, 317; glabroides, 317; Guareicola, 317; Ipomoeae, 317; longipoda, 318; mayaguesiana, 318; melastomacearum, 318; nigra, 318; Panici, 318; Paulliniae, 318; penzigi, 332; Psidii, 318; psycotriae, 318; pteridicola, 318; sepulta, 318; Tecomae, 318; tortuosa, 318
Membranipora tuberculata, 103
Merulius, 138; aureus, 138, 142; tremellosus, 323
Mezira emarginata, 71, 75, 76; lobata, 71, 75
Michigan, An undescribed Genea from, 282
Miconia, 319; prasina, 317; racemosa, 318
Micropeltis aeruginescens, 318
Microporellus dealbatus, 9
Microstelium hyalinum, 179
Microstoma **ingaicola,** 52; **pithecolobii,** 52
Mitella nuda, 146
Moneses uniflora, 145
Monograph of the Coryneliaceae, 206
Monographia Uredinearum, 35
Montana, Rusts from Glacier National Park, 143
Morchella, 162; esculenta, 126, 133
Mucilago spongiosa, 341
Mucor clavatus, 207, 247, 249, 250
Mucronella, 139; ulmi, 138, 142
Murrill, W. A., Another new truffle, 157; Corrections and additions to

the polypores of temperate North America, 6; Illustrations of fungi — XXXII, 59; Light-colored resupinate polypores — I, 77; — II, 299; The fungi of Blacksburg, Virginia, 322
Muscaria, 152
Mycobonia, 287
Mycologicae, ser. XXIX, Notae, 199
Mycological notes for 1919, Some, 135
Mycosphaerella Didymopanicis, 320; Ikedai, 331; Perseae, 320; punctiformis, 331; theae, 330
Myriadoporus induratus, 80
Myrica cerifera, 77
Myriogenospora Bresadoleana, 319
Myrsine, 241; africana, 241, 242

Naematelia quercina, 340
National Park, Montana, Rusts from Glacier, 143
New ascogenous fungus, Penicillium spiculisporum, a, 268
New Japanese fungi. Notes and translations — VIII, 25; — IX, 329
New or noteworthy North American Ustilaginales, 149
New species and relationships in the genus Coleosporium, 182
New truffle, Another, 157
New truffles, Two, 99
Nocardia, 57
North America, Corrections and additions to the polypores of temperate, 6
North American Hypocreales — IV, Aschersonia and Hypocrella, Notes on, 93
North American Ustilaginales, New or noteworthy, 149
Notae mycologicae, ser. XXIX, 199
Notes and brief articles, 36, 104, 159, 286, 334
Notes and translations —, New Japanese fungi, VIII, 25; IX, 329
Notes for 1919, Some mycological, 135
Notes on North American Hypocreales — IV, Aschersonia and Hypocrella, 93
Noteworthy North American Ustilaginales, New or, 149
Notholcus, 150; lanatus, 150
Nummularia cincta, 321

Observations on the genus Acrospermum, 175
Oidiopsis taurica, 211, 267
Olive, A list of the pyrenomycetes of Porto Rico collected by H. H. Whetzel and E. W., 316
Olyra latifolia, 318
Omphalopsis campanella, 326, 339
Onygena equina, 289
Ophiobolus, 171; herpotrichus, 171
Orbilia, 87; vinosa, 203
Ornithogalum, 151, 152
Osmorrhiza divaricata, 146
Overholts, L. O., Some mycological notes for 1919, 135
Oxalis acetosella, 283
Oxyria digyna, 281
Palicourea procea, 318
Panaeolus campanulatus, 326; semiglobatus, 326; retirugis, 326
Panellus stypticus, 326
Panicum crus-galli, 276, 279; glutinosum, 318; milaceum, 279; paludosum, 29, 30, 31; sanguinale, 30
Papaver somniferum, 329
Papulospora, 115, 120, 123, 125, 127, 132; candida, 123; coprophila, 123; magnifica, 123, 127, 131
Parasitic on Sargassum, A Phyllachorella, 102
Paritium tiliaceum, 320
Parodiella, 174
Parthenium, 186
Paspalum, 40, 41; conjugatum, 319; dilatum, 41; distichum, 41; floridanum, 41; laeve, 41; notatum, 319
Patinella **Brenckleana,** 203; inquinanti, 203
Paullinia pinnata, 318
Paxillus corrugatus, 138, 139
Penicillium, 268, 273; avellaneum, 269, 273; Gratioti, 273; Herquei, 273; luteum, 269; Petchii, 273; **spiculisporum,** 268, 269, 271
Penicillium spiculisporum, a new ascogenous fungus, 268
Penstemon ellipticus, 144
Peregrinus, 66; maidis, 65, 66, 69
Periaster Strongylodontis, 174
Peridermium, 33, 34, 38, 182, 183, 185, 186, 187, 189, 190, 191, 193, 194, 196, 197; acicolum, 194, 196; carneum, 188, 191, 192, 195, 196; cerebrum, 344; delicatulum, 196; **elephantopodis,** 190, 195, 196; **floridanum,** 193, 194, 197; fragile, 185; harknessii, 344; **Hydrangeae,** 34, 296; inconspicuum, 196; intermedium, 194, 195; ipomoeae, 196; minutum, 186, 187; Peckii, 33, 34, 311, 314, 315; sparsum, 33; terebinthinaceae, 196
Peridermium Peckii, Darluca on, 309
Perisporum Bromeliae, 318; truncatum, 318
Perkinsiella saccharicida, 64, 65, 70
Peronoplasmopara **portoricensis,** 52
Peronospora, 344; Spinaciae, 343

Persea gratissima, 320
Pestalozzia Guepini, 337
Phaedothopsis Eupatorii, 163
Phaeoisaria, 65
Phaeotrype, 200; **Brencklei,** 200
Phallus Monacella, 4
Phalaris arundinaceae, 279
Pharbitis, 185, 186, 195; cathartica, 197
Phaseolus adenanthus, 317, 320
Phleum pratense, 280, 310
Pholiota Johnsoniana, 326
Phoma filum, 313
Phomopsis juniperovora, 337
Photographs and descriptions of cup-fungi — VIII, Elvela infula and Gyromitra esculenta, 1
Phragmidium, 309; Andersoni, 145; imitans, 145; Ivesiae, 145; occidentalis, 145; Potentillae, 145; Rosae-acicularis, 145
Phragmosperma, 174
Phycomyces nitans, 113
Phylacia poculiformis, 264
Phyllachora andropogonis, 319; Bourreriae, 319; Cyperi, 319; Engleri, 319; Galactiae, 319; graminis, 320; Mayepeae, 320; minuta, 320; nitens, 320; peribebuyensis, 320; Phaseoli, 320; Roureae, 320; Securidacae, 320; sphaerosperma, 320
Phyllachorella, 103; **oceanica,** 103
Phyllachorella parasitic on Sargassum, A, 102
Phyllosticta, 55, 56; bonduc, 163; cyclaminicola, 58
Physalospora Andirae, 320
Physarum cinereum, 341; flavicomum, 340; polycephalum, 340; sinuosum, 341
Physisporus, 48; luteoalbus, 78; rixosus, 78; serenus, 78
Physomitra, 2; esculenta, 2, 4; infula, 2, 4
Phytophthora, 25, 26, 27; Carica, 25; faberi, 57; Fici, 25; omnivora, 26; terrestria, 297
Picea, 41; Engelmanni, 91
Pinus, 41, 184, 185, 187, 190, 192, 196; canariensis, 191, 197; caribaea, 183, 184, 190, 191, 192, 195; clausa, 192; contorta, 191, 197; coulteri, 191, 192, 197; echinata, 88, 191, 192, 194, 195, 196; flexilis, 41; glabra, 187, 192; inops, 158; Lambertiana, 83; Massoniana, 305; mayriana, 191, 192, 197; monticola, 22, 91; Murrayana, 42; nigra austriaca, 192; nigra laricio, 192; palustris, 183, 184, 185, 191, 193, 194, 196, 197; ponderosa, 193; pumilo, 226, 227; radiata, 191, 197; rigida, 138, 139, 186, 191, 193, 227; sabiniana, 193; serotina, 191, 193, 197; scopulorum, 193; strobus, 106, 226, 236, 296; taeda, 183, 184, 188, 191, 193
Piper medium, 320; peltatum, 318
Piricularia, 32; Costi, 32; Leersiae, 32; Panicipaludosa, 32; Setariae, 31; Zingiberi, 31
Pithecolobium saman, 52, 160; unguis cati. 160
Platygloea caroliniana, 340; Lagerstroemiae, 340
Pleococcum populinum, 37
Pleospora Shepherdiae, 200
Pleurage curvicola, 298
Pleuropus albogriseus, 326; obesus, 326
Pleurotus, 43, 104, 113; albolanatus, 166; ostreatus, 43, 326; serotinus, 43
Pluteus admirabilis, 38; cervinus, 326; **praerugosus,** 326
Poa pratense, 280
Podocarpus, 208, 214, 215, 217, 218, 246, 252, 257, 258; andina, 245; angustifolia, 255, 257; chilina, 217, 245, 246, 247, 255; coriacea, 234, 260, 318; costata, 245, 247, 249; elongata, 217, 233, 236, 248, 251, 252; elongata foliicola, 251; falcata, 249, 251; gracilior, 249, 253; Lamberti, 233; latifolia, 248; macrophylla, 253, 254; macrostachys, 255, 257; milanjiana, 243; Nageia, 248, 253; purdieana, 262; saligna, 245, 247; Sellowii, 255, 257; Thunbergii, 233, 235, 249
Pogonomyces, 18; hydnoides, 87
Polistes, 64, 66, 69; annularis, 66, 69, 76
Polyandromyces, 345
Polycystis, 150
Polygonum, 278; hydropiperoides, 280, newberryi, 280
Polypodium, 236; crassifolium, 230; cretatum, 179; induens, 178, 179; phyllitidis, 230; punctatum, 230; Schomburghianum, 230
Polypores, Light-colored resupinate, — I, 77; — II, 299
Polypores of temperate North America, Corrections and additions to the, 6
Polyporus, 46; admirabilis, 43; aduncus, 15; Alabamae, 77; albocarneogilvidus, 20; albo-incarnatus, 50; alutaceus, 8; amygdalinus, 9, 16; aneirina, 300; arculariformis, 9; arcularius, 9, 324; argillaceus, 83;

Bankeri, 12; biformis, 7; bombycinus, 301; botryoides, 14; Bracei, 57; calceolus, 24; calvescens, 12, 16; carneus, 13; Caryae, 82; caudicinus, 21; cinereus, 81, 82; cinnabarinus, 288; circinatus, 13; circinatus dualis, 13; columbiensis, 9; confluens, 10, 16, 20; confusus, 9, 17; coruscans, 12; craterellus, 9; croceus, 11; cuticularis, 15; cyathiformis, 9, 17; dealbatus, 9; dryinus, 48; dualis, 13; elegans, 324; epileucus, 17; excurrens, 46, 107, 108; extensus, 108; Farlowii, 17; fimbriatellus, 302; floriformis, 18; fractipes, 9, 11, 18; fomentarius, 288; galactinus, 140; gilvus, 136; glomeratus, 12, 18; Grantii, 18; Grayii, 7; griseoalbus, 81, 302; hirtus, 19; hispidus, 288; Hookerii, 12; humilis, 9, 11, 18; igniarius, 288; induratus, 80; intybaceus, 10; isabellinus, 78; Kansensis, 10; lucidus, 15, 114; luteoalbus, 89; McMurphyi, 20; mollis, 18, 23; molluscus, 81, 302; Montagnei, 13; mutabilis, 9; ornatus, 80; osseus, 18, 20; ovinus, 10, 20; pallidus, 21; pargamenus, 140; pennsylvanicus, 21; pes-caprae, 9; Pini-canadensis, 11; pini-ponderosae, 8; prolificans, 12; pulchellus, 48; radiculosus, 301; rheades, 12; rigidus, 22; roseo-isabellinus, 78; Schweinitzii, 140; semitinctus, 300; sinuosus, 78; smaragdinus, 23; spumeus, 23; squamosus, 168; Stephensii, 47; subacidus, 80; sulphureus, 288; tephroleucus, 23; ursinus, 23; Vaillantii, 78, 81, 301, 302; vaporarius, 78; variiformis, 24; varius, 24; violaceus, 300; vitellinulus, 50; vulgaris, 89; Weinmanni, 18, 23, 24; Zelleri, 24

Populus, 41; grandidentata, 162; hastata, 145; tremuloides, 144

Poria, 47, 48, 50, 57, 77, 90, 108, 110, 113, 140, 334; acida, 80; **adpressa,** 85; Alabamae, 77, 78, 108; **Amesii,** 90; anaectopora, 109; **arachnoidea,** 307; argillacea, 83; Beaumontii, 80; calcea, 108; candidissima, 108; Caryae, 82, 108; cinerea, 81, 82, 83; cinereicolor, 87; clathrata, 109; **Cokeri,** 306; corioliformis, 86; corticola, 88; **cremeicolor,** 85; cremor, 109; cylindrispora, 17; decolorans, 109; **distorta,** 306; dryina, 108; **Earlei,** 86; elachista, 108; fatiscens, 108; favescens, 109; favillacea, 109; fimbriata, 48; fimbriatella, 302; griseoalba, 81, 302; **heteromorpha,** 92; holoxantha, 48; **hondurensis,** 303; **hymeniicola,** 305; **incerta,** 78; incrustans, 108; interna, 108; **Johnstonii,** 303; **lacerata,** 91; **lacticolor,** 84; **lignicola,** 307; limitata, 108; Lindbladii, 109; **linearis** 303; medullapanis, 48, 77, 78; mollusca, 89; mollusca lutescens, 89; **monticola,** 90; **montana,** 307; myceliosa, 300; **niveicolor,** 84; obducens, 49; obliqua, 17; omoema, 80; ornata, 335; **perextensa,** 304; **polyporicola,** 87; pulchella, 49, 108; punctata, 17; radiculosa, 301; **regularis,** 87; Rhododendri, 109; **rimosa,** 91, 299; rivulosa, 109; **roseitingens,** 305; **salicina,** 48, 304; Salviae, 108; Sassafras, 108; semitincta, 140, 300, 301; **separans,** 305; straminea, 47; subacida, 79, 80, 89, 335; subaurantia, 80; **subavellanea,** 88; **subcollapsa,** 90; **subcorticola,** 88; **submollusca,** 306; **tenuipora,** 85, 86; tenuis, 108, 302; tomento-cincta, 48; **umbrinescens,** 83; vaporaria, 78, 89; vesiculosa, 109; vulgaris, 49, 89, 302; vulgaris calcea, 89; xantha, 167; xantholoma, 49, 50, 108

Porodaedalea Pini, 13, 22

Porodisculus pendulus, 23

Poronia, 344

Poronidulus conchifer, 324

Porto Rico collected by H. H. Whetzel and E. W. Olive, A list of the pyrenomycetes of, 316

Potamogeton gramineus, 276

Polystictus conglomerus, 17; extensus, 108; rigens, 108

Potentilla fruticosa, 145; monspeliensis, 145; Nuttallii, 145; pennsylvanica, 145

Protomerulius Farlowii, 112

Prunulus, 326

Prunus melanocarpa, 202, 204

Pseudofavolus auriculatus, 16

Pseudomonas campestris, 55; citri, 344

Pseudoparodia, 174

Pseudopeziza medicaginis, 56; trifolii, 56

Pseudotsuga, 144, 288; macrocarpa, 304; mucronata, 144

Psidium guajava, 318

Psilocybe, 113; foenesecii, 326; larga, 166

Puccinia, 163, 309; aberrans, 145; abundans, 145; Actaeae-Agropyri, 293; Actaeae-Elymi, 293; Agropyri, 294; antirrhini, 58, 145; arnicalis,

145; aspera, 146; Asterum, 146; Balsamorrhizae, 146; bromia, 309; Caricis, 309; Circaceae, 146; Cirsii, 146; clematidis, 146, 292, 293, 294; coronata, 56; Fergussoni, 146; Fraseri, 146; graminis, 312, 314, 345; Heucherae, 146; Hieracii, 146; Holboellii, 146; Impatientis, 294, 295; Menthae, 312; mesomejalis, 146; phakopsorides, 112; Pimpinellae, 146; Porri, 312; Prunorum, 309; purpurea, 314; Rhamni, 146; Saxifragae, 146; Taraxaci, 147; Triseti, 309; Troximontis, 147; Urticae, 147; Veratri, 147; Violae, 147
Pucciniastrum, 33; arcticum americanum, 147; Hydrangeae, 33, 296; minimum, 33; Myrtilli, 33, 147; pustulatum, 33, 35, 147; Pyrolae, 147
Pucciniastrum Hydrangeae, The alternate stage of, 33
Pycnoderma Villaresiae, 174
Pycnoporus cinnabarinus, 324
Pyrenomycetes of Porto Rico collected by H. H. Whetzel and E. W. Olive, A list of the, 316
Pyrenopeziza Rubi, 203
Pyrenopsis fuscoatra, 336
Pyrola asarifolia, 145; chlorantha, 145; minor, 147; secunda, 145, 147
Pyronema, 116, 121, 122; confluens inigneum, 132
Pyropolyporus, 13, 16; Abramsianus, 15; Bakeri, 13, 41; Calkinsii, 7; Earlei, 14; igniarius, 16, 43, 339; juniperinus, 14; praerimosus, 14

Quamasia, 152; guamash, 152; hyacinthina, 152
Quamoclit, 186
Quercus alba, 91, 140; coccinea, 224; utahensis, 201, 202

Ramularia cyclaminicola, 58
Randia aculeata, 318
Rapanea, 214, 215, 241; melanophloeos, 235, 241
Relationships in the genus Coleosporium, New species and, 182
Resupinate polypores, Light-colored, — I, 77; II, 299
Rhamnus alnifolia, 146
Rhaphidophora, 171; herpotricha, 171
Rhaphidospora, 171; herpotricha, 171; lacroixii, 171
Rhizoctonia, 126, 133
Rhizopus, 130
Rhizostilbella, 122; rubra, 132
Rhizotexes, 174
Rhododendron maximum, 323
Rhus copallina, 336; coriaria, 336
Ribes, 106, 174, 296; floridanum, 199; lacustre, 144
Ricania discalis, 66, 70
Ricinus communis, 172
Riddle, L. W., Observations on the genus Acrospermum, 175
Rigidoporus surinamensis, 22
Rosa, 201; Bourgeauiana, 145; gymnocarpa, 145; nutkana, 145
Rosellinia amphisphaerioides, 199; mastoideae, 199; rimincolae, 199; **subsimilis,** 199
Rostkovites granulatus, 324
Rostronitschkia, 55; nervincola, 320
Rourea glabra, 318, 320
Rubus, 288; parviflorus, 145, 203; strigosus, 145, 147, 203
Russula, 113, 327; albida, 326; amygdaloides, 166; compacta, 326; delica, 326; emetica, 326; flava, 339; foetens, 326, 339; foetentula, 339; furcata, 326, 339; nigricans, 326; ochraleucoides, 166; subpunctata, 166; virescens, 326, 327
Rusts from Glacier National Park, Montana, 143

Sabal Palmetto, 40, 92
Saccardo, P. A., Notae mycologicae, ser. XXIX, 199
Salamonia, 152
Salix Bebbiana perrostrata, 145; monticola, 145; nigra, 287; Scouleriana, 144, 145; subcaerulea, 145
Sambucus glauca, 200
Saprolegnia, 126
Sarcobatus vermiculatus, 201
Sargassum, 103
Sargassum, A Phyllachorella parasitic on, 102
Sauvagesia erecta, 317
Saxifraga Merténsiana, 146; rivularis, 146
Schlegelia brachyantha, 320
Scilla, 152
Scleroderma verrucosum, 328
Sclerotinia libertiana, 126, 173; Ricini, 172
Sclerotium bifrons, 162; hydrophilum, 126, 133; omnivorum, 132
Scoleconectria tetraspora, 319
Scutiger caeruleoporus, 9; griseus, 20; hispidellus, 10, 19; holocyaneus, 9; oregonensis, 20; **ovinus,** 20; persicinus, 10; radicatus, 10, 19; retipes, 9; Whiteae, 10, 20
Seaver, F. J., Notes on North American Hypocreales—IV, Aschersonia and Hypocrella, 93; Photographs

and descriptions of cup-fungi—VIII. Elvela infula and Gyromitra esculenta, 1
Sebacina, 340
Securidaca virgata, 320
Septobasidium, 62, 340
Septoria, 55, 313; filum, 313; **Lunelliana,** 204; rhoina, 336
Setaria, 31
Shepherdia argentea, 200
Sieversia ciliata, 281
Silene, 280; Menziesii, 154; multicaulis, 148; Watsoni, 154
Silphium, 186
Siphanta acuta, 66, 67, 70, 76
Sitanion, 279
Smelowskia americana, 145
Solidago, 185, 186, 195; concinna, 144
Some mycological notes for 1919, 135
Some Ustilagineae of the state of Washington, 275
Sorbus sitchensis, 144
Sorghum, 277
Sorica, 211, 215, 218, 219, 227, 228, 229; Dusenii, 228, 229, 265; maxima, 210, 211, 213, 214, 215, 228, 229, 236, 237
Sorosporella, 73, 74
Sorosporium Junci, 156; Saponariae, 154
Spacelotheca reiliana, 276; sorghi, 277
Speare, A. T., On certain entomogenous fungi, 62
Sphaerella Rhododendri, 337
Sphaeria capitata, 251; filum, 313; poculiformis, 264; turbinata, 248, 249, 251
Sphaeronaema polymorphum, 204
Sphaeronema, 313; clavatum, 245, 246; subcorticale, 207, 223, 224, 225
Sphaeropsis, 204
Sphaerostilbe coccophila, 319
Sphinctrina, 220
Spongipellis borealis, 41; fragilis, 18, 22, 23, 41, 43; galactinus, 8, 43; sensibilis, 18, 22; spumeus, 8
Sporobolus asperifolius, 277
Sporocybe Azaleae, 337; calicioides, 220, 222
Sporodesmium, 55
Stage of Pucciniastrum Hydrangeae, The alternate, 33
Standley, P. C., Rusts from Glacier National Park, Montana, 143
Steccherinum adustum, 323; pulcherrimum, 323
Steganosporium heterospermum, 205; utahense, 204
Stellaria Curtisii, 154; Jamesiana, 154
Stenocybe, 220
Stilbum, 73; buquetii, 73; coccophilum, 73; kervillei, 73; rugosum, 224, 225
Stipa, 279
Streptrathrix, 57
Strobilomyces strobilaceus, 324
Stropharia, 43; semiglobata, 327
Suillellus luridus, 324
Symphoricarpos albus, 145
Synnematium, 73, 74; **Jonesii,** 71, 74, 75, 76

Tanaka, T., New Japanese fungi. Notes and translations—VIII, 25; IX, 329
Taraxacum officinale, 147
Tecoma pentaphylla, 318
Teichospora oxythele, 200; solitaria, 200
Tetrazygia elaeagnoides, 320
Thalictrum, 294; dasycarpum, 294; megacarpum, 146
Thamnomyces, 344
Thea sinensis, 330, 331
Thecaphora, 154, 155; guyotiana, 277; **Iresine,** 154; Thornberi, 155, 156; deformans, 281
Thelephora, 322; palmata, 322
Theobroma cacao, 318
Thielavia basicola, 38
Thompson, Bertha E., Bessey, E. A., and, An undescribed Genea from Michigan, 282
Thuja, 288
Tilletia, 345; airae, 281; asperifolia, 277; elymi, 277; foetens, 277; fusca, 277; guyotiana, 277; holci, 150, 278; Rauwenhoffii, 150, 278; Secalis, 149, 150; Tritici, 149, 278
Tolyposporium, 155; Iresine, 154, 155; Junci, 156
Trametes, 46; extenuata, 11; gilvoides, 18; hexagonoides, 11; hispida, 11; hydnoides, 18; Krekei, 19; lacerata, 19; malicola, 8, 20; merisma, 20; minima, 8; mollis, 110; Morganii, 19, 20, 41; Petersii, 12, 21; populina, 7; protracta, 15; pusilla, 21; rigida, 20, 108; robiniophila, 42; sepium, 21; serpens, 46, 47, 77, 107, 108; setosa, 22: **subserpens,** 108; Trogii subresupinata, 11
Translations —, New Japanese fungi. Notes and, VIII, 25; IX, 329
Tranzchelia punctata, 309
Tremella, 141, 340; aspera, 340; carneoalba, 340; frondosa, 322; mycetophila, 322; reticulata, 141; sparassoidea, 141, 142, 322; subanom-

ala, 340; vesicaria, 141
Tremellodendron, 340; gelatinosum, 142
Trichoglossum hirsutum, 142
Tricholoma, 113; laticeps, 166
Trichostigma octandra, 320
Trientalis arctica, 152; latifolia, 153
Trifolium hydridum, 148; repens, 148
Trillium chloropetalum, 151
Tripospora, 208, 209, 211, 215, 218, 232, 239; Cookei, 209, 232; tripos, 209, 213, 214, 215, 217, 228, 232, 236, 237, 241
Triposporium, 332
Triticum, 277, 278, 280; vulgare, 294
Truffle, Another new, 157
Truffles, Two new, 99
Trullula tropica, 244
Tsuga, 288; canadensis, 35, 284, 311; heterophylla, 41
Tubaria furfuracea, 38
Tuber, 101, 287; Borchii, 99, 100, 282; **canaliculatum,** 99, 100, 157, 282; dryophilum, 101; lyoni, 282; macrosporum, 100; maculatum, 101; oligosperma, 287; rapaeodorum, 101; **Shearii,** 157, 158; **unicolor,** 100, 157, 158
Tubercina Trientalis, 152
Tubercularia carnea, 197
Tulasnella, 287
Two new truffles, 99
Tylopilus alboater, 60; felleus, 324; gracilis, 324
Tyromyces, 305; amorphus, 16; balsameus, 7, 8; caesiosimulans, 16; caesius, 16; carbonarius, 16; chioneus, 18; crispellus, 8; cutifractus, 17; fumidiceps, 18; guttulatus, 8, 42; lacteus, 324; perdelicatus, 21; Pseudotsugae, 21; semipileatus, 324; Smallii, 8; subpendulus, 23; substipitatus, 23; tiliophila, 8

Uleodothis Pteridis, 163
Ulmus, 178; americana, 138, 142
Undescribed Genea from Michigan, An, 282
Uredinopsis Atkinsonii, 147
Uredo, 309; Epilobii, 309; Euphorbiae, 309; farinosa, 309; **salicis,** 309; Secalis, 149
Urocystis, 127, 132; agropyri, 281; Colchici, 151, 152; gei, 281; Ornithogali, 151, 152; **Trilii,** 151, 344; Waldsteiniae, 281
Uromyces, 163, 296, 309; **Cytissi,** 309; Glycyrrhizae, 147; Hedysari-obscuri, 147; heterodermus, 147, 163; intricatus, 147; Junci, 147; porosus, 148; Silenes, 148; Trifolii, 148
Uromycladium, 309
Uropyxis sanguinea, 148
Urtica, 205; cardiophylla, 147; gracilis, 199, 205
Ustilaginales, New or noteworthy North American, 149
Ustilagineae of the state of Washington, Some, 275
Ustilago avenae, 278; bistortorum, 278; bromivora, 277, 278; bromivora macrospora, 279; claytoniae, 279; crus-galli, 276, 279; echinata, 279; hordei, 279; hypodytes, 279; levis, 279; macrospora, 281; mufordiana, 279; nuda, 280; olivaceae, 281; perennans, 280; punctata, 280; spaerocarpa, 174; striaeformis, 280; tritici, 280; urticulosa, 280; vinosa, 281; violaceae major, 280; washingtoniana, 280; zeae, 280
Ustulina vulgaris, 160

Vaccinium, 34; angustifolium, 33; caespitosum, 147; corymbosum, 174; membranaceum, 147; Myrtillus, 147
Vaginata farinosa, 327; parcivolvata, 327; plumbea, 322, 326, 327, 339
Vagnera, 152
Valota insularis, 320
Valsa cincta, 202; cornicola, 202; leucostoma, 202
Veluticeps, 287; tabacina, 287
Venenarius, 327; Caesarius, 327; cothurnatus, 322, 327; flavorubescens, 327; Frostianus, 327; muscarius, 54; phalloides, 54, 327; rubens, 327; **solitarius,** 327; **Wellsii,** 291
Venturia, 116; inaequalis, 132
Verbesina, 185, 186, 194, 195
Vernonia, 185, 186, 188, 189, 191, 193, 195; angustifolia, 193; baldwinii, 193; blodgettii, 193; drummondi, 193; flaccidifolia, 193; gigantea, 193; glauca, 193; interior, 193; maxima, 193; noveboracensis, 192, 193; oligantha, 193; ovalifolia, 193; texana, 193; tomentosa, 193
Verrucaria sordida, 336
Vicia americana, 148
Vigna repens, 317
Viola, 283; canadensis, 147; palustris, 146
Virginia, The fungi of Blacksburg, 322
Vitis, 288

Washington, Some Ustilagineae of the state of, 275

Whetzel and E. W. Olive, A list of the pyrenomycetes of Porto Rico collected by H. H., 316
Winge, O., Ferdinandsen, C., and, A Phyllachorella parasitic on Sargassum, 102

Xanthoporia Andersoni, 287
Xylaria apiculata, 321; aristata, 321; axifera, 321; Schweinitzii, 251

Zea mays, 276, 280
Zignoella algaphila, 163
Zingiber, 31
Zundel, G. L., Some Ustilagineae of the state of Washington, 275